

Federal Emergency Management Agency

Washington, D.C. 20472

November 01, 2012

MS. THERESE A. WAGNER
GULF VIEW PROPERTY MANAGEMENT,
INC.
2335 TAMIAMI TRAIL NORTH
#505
NAPLES, FL 34103

CASE NO.: 13-04-0162A

COMMUNITY: COLLIER COUNTY, FLORIDA

(UNINCORPORATED AREAS)

COMMUNITY NO.:

120067

DEAR MS. WAGNER:

This is in reference to a request that the Federal Emergency Management Agency (FEMA) determine if the property described in the enclosed document is located within an identified Special Flood Hazard Area, the area that would be inundated by the flood having a 1-percent chance of being equaled or exceeded in any given year (base flood), on the effective National Flood Insurance Program (NFIP) map. Using the information submitted and the effective NFIP map, our determination is shown on the attached Letter of Map Amendment (LOMA) Determination Document. This determination document provides additional information regarding the effective NFIP map, the legal description of the property and our determination.

Additional documents are enclosed which provide information regarding the subject property and LOMAs. Please see the List of Enclosures below to determine which documents are enclosed. Other attachments specific to this request may be included as referenced in the Determination/Comment document. If you have any questions about this letter or any of the enclosures, please contact the FEMA Map Assistance Center toll free at (877) 336-2627 (877-FEMA MAP) or by letter addressed to the Federal Emergency Management Agency, Engineering Library, 847 South Pickett Street, Alexandria, VA 22304-4605.

Sincerely,

Luis Rodriguez, P.E., Chief

Engineering Management Branch

123

Federal Insurance and Mitigation Administration

LIST OF ENCLOSURES:

LOMA DETERMINATION DOCUMENT (REMOVAL)

cc: State/Commonwealth NFIP Coordinator Community Map Repository Region



Federal Emergency Management Agency

Washington, D.C. 20472

LETTER OF MAP AMENDMENT **DETERMINATION DOCUMENT (REMOVAL)**

COMMU	NITY AND MAP PANEL INFORMATION	LEGAL PROPERTY DESCRIPTION				
COMMUNITY	COLLIER COUNTY, FLORIDA (Unincorporated Areas)	Princeton Place at Wiggins Bay Condominiums One through Five, as described in the Declarations of Condominium recorded as Instrument Nos. 01542359, 01330068, 01287825, 01227567, and 01159407, in the Office of the Clerk of Circuit Court, Collier County, Florida				
	COMMUNITY NO.: 120067					
AFFECTED MAP PANEL	NUMBER: 12021C0187H					
	DATE: 5/16/2012	•				
		APPROXIMATE LATITUDE & LONGITUDE OF PROPERTY: 26.293, -81.816 SOURCE OF LAT & LONG: GOOGLE EARTH PRO DATUM: NAD 83				
DETERMINATION						

DETERMINATION

LOT	BLOCK/ SECTION	SUBDIVISION	STREET	OUTCOME WHAT IS REMOVED FROM THE SFHA	FLOOD ZONE	1% ANNUAL CHANCE FLOOD ELEVATION (NAVD 88)	LOWEST ADJACENT GRADE ELEVATION (NAVD 88)	LOWEST LOT ELEVATION (NAVD 88)
	-	Princeton Place at Wiggins Bay One	300 Horse Creek Drive	Structure	X (shaded)		10.1 feet	

Special Flood Hazard Area (SFHA) - The SFHA is an area that would be inundated by the flood having a 1-percent chance of being equaled or exceeded in any given year (base flood).

ADDITIONAL CONSIDERATIONS (Please refer to the appropriate section on Attachment 1 for the additional considerations listed below.)

DETERMINATION TABLE (CONTINUED)

PORTIONS REMAIN IN THE SFHA

This document provides the Federal Emergency Management Agency's determination regarding a request for a Letter of Map Amendment for the property described above. Using the information submitted and the effective National Flood Insurance Program (NFIP) map, we have determined that the structure(s) on the property(ies) is/are not located in the SFHA, an area inundated by the flood having a 1-percent chance of being equaled or exceeded in any given year (base flood). This document amends the effective NFIP map to remove the subject property from the SFHA located on the effective NFIP map; therefore, the Federal mandatory flood insurance requirement does not apply. However, the lender has the option to continue the flood insurance requirement to protect its financial risk on the loan. A Preferred Risk Policy (PRP) is available for buildings located outside the SFHA. Information about the PRP and how one can apply is enclosed.

This determination is based on the flood data presently available. The enclosed documents provide additional information regarding this determination. If you have any questions about this document, please contact the FEMA Map Assistance Center toll free at (877) 336-2627 (877-FEMA MAP) or by letter addressed to the Federal Emergency Management Agency, Engineering Library, 847 South Pickett Street, Alexandria, VA 22304-4605.

> Luis Rodriguez, P.E., Chief **Engineering Management Branch**

Federal Insurance and Mitigation Administration



Federal Emergency Management Agency

Washington, D.C. 20472

LETTER OF MAP AMENDMENT DETERMINATION DOCUMENT (REMOVAL)

ATTACHMENT 1 (ADDITIONAL CONSIDERATIONS)

DETERMINATION TABLE (CONTINUED)

	DETERMINATION TABLE (CONTINUED)								
LOT	BLOCK/ SECTION	SUBDIVISION	STREET	OUTCOME WHAT IS REMOVED FROM THE SFHA	FLOOD ZONE	1% ANNUAL CHANCE FLOOD ELEVATION (NAVD 88)	LOWEST ADJACENT GRADE ELEVATION (NAVD 88)	LOWEST LOT ELEVATION (NAVD 88)	
		Princeton Place at Wiggins Bay Two	320 Horse Creek Drive	Structure	X (shaded)		10.2 feet		
-		Princeton Place at Wiggins Bay Three	340 Horse Creek Drive	Structure	X (shaded)		10.3 feet		
		Princeton Place at Wiggins Bay Four	360 Horse Creek Drive	Structure	X (shaded)		10.3 feet		
		Princeton Place at Wiggins Bay Five	380 Horse Creek Drive	Structure	X (shaded)		11.3 feet		

PORTIONS OF THE PROPERTY REMAIN IN THE SFHA (This Additional Consideration applies to the preceding 5 Properties.)

Portions of this property, but not the subject of the Determination/Comment document, may remain in the Special Flood Hazard Area. Therefore, any future construction or substantial improvement on the property remains subject to Federal, State/Commonwealth, and local regulations for floodplain management.

This attachment provides additional information regarding this request. If you have any questions about this attachment, please contact the FEMA Map Assistance Center toll free at (877) 336-2627 (877-FEMA MAP) or by letter addressed to the Federal Emergency Management Agency, Engineering Library, 847 South Pickett Street, Alexandria, VA 22304-4605.

Luis Rodriguez, P.E., Chief Engineering Management Branch

Federal Insurance and Mitigation Administration